

B·O·T

SPECIALTIES

Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

os://archive.org/details/buildingtechnologyheritagelil

From the collection of:

Mike Jackson, FAIA

· be 18-



Copyright, 1911 by B. O. Tilden



B. O. T. SPECIALTIES

RALPH E. WEEKS CO. SCRANTON, PA.



HIGH GRADE PLUMBING FIXTURES

Architects: Please refer to 1911 Edition of "Sweet's Index" pages 894 to 897

The "B.O.T." Guarantee



This is a facsimile of the "B.O.T." guarantee Trade Mark, which is our guarantee for Quality and Workmanship. Every "B.O.T." wooden tank, seat and cover bears the guarantee Trade Mark under the varnish.

B.O.T.

This is a facsimile of the Vitreous China "B.O.T." Trade Mark, which is the guarantee for Quality and Workmanship. Every "B.O.T." vitreous china tank, closet and float has the guarantee Trade Mark under the glaze.





X-RAY PHOTOGRAPH OF "B. O. T." COMBINATION

(Patented)

Closet 375 "B. O. T." Patented Syphon Closet showing the expanded straight outlet.

TANK Showing metal strip securing the copper lining.

"B. O. T." elevated ball cock.

"B. O. T." patented china float.

"B. O. T." flush valve with Nagrom ball.

"B. O. T." improved, patented lever.

Page five





CLOSET	No.	375	"B.	0.	T."	Patented	Syphon	Closet.
PRICE .								. \$10.00





CLOSET	No. 375 Syphon	Raised Closet.	Front	"B.	0.	Т."	Patented
D							811.50





	CLOSET			"B. n Clos			Patented	Early	English
--	--------	--	--	---------------	--	--	----------	-------	---------

PRICE......\$12.50





CLOSET	No.	475	Raised	Front	"B,	0.	T."	Patented
			English					

PRICE.....\$14.00

Page nine





PLATE A-2 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

TANK "B. O. T." patented china tank 234-inch rubber float valve with 1½-inch over-flow

"B. O. T." elevated compound lever ball cock.

"B. O. T." patented china float.

"B. O. T." improved patented lever with china handle.

N. P. supply pipe 3/8-inch, No. 11 gauge, 21 inches long with flange.

2-inch bent elbow with heavy cast nuts, friction rings, rubber washers and spud flange.

Page ten





PLATE A-3½ (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

TANK Selected quarter sawed oak, high piano polished, golden, antique or natural finish, or imitation mahogany.

Lined with 10-ounce copper, tinned bottom. \$2\forall -inch rubber float valve, with 1\forall -inch overflow.

"B. O. T." compound lever ball cock with tinned,

solderless float.

"B. O. T." improved patented lever with china handle.

handle.
N. P. supply pipe 3/8-inch, No. 11 gauge, 21 inches long with flange.

2-inch bent elbow with heavy cast nuts, friction rings, rubber washers and spud flange.

1½-inch full saddle seat and cover to match

BOJT MARK



PLATE A-5 (Patented)

Closet 375 "B. O. T." Patented Syphon Closet with raised front.

Tank Square corners, selected quarter sawed oak, finished with a rubbed dull Early English style. Lined with 10-ounce copper, tinned bottom.

 $2\frac{3}{4}$ -inch rubber float valve with $1\frac{1}{2}$ -inch overflow.

"B. O. T." compound lever ball cock with tinned, solderless float. "B. O. T." improved patented lever with china

handle. N. P. supply pipe 3/8-inch, No. 11 gauge, 21

inches long with flange.
2-inch bent elbow with heavy cast nuts, friction

rings, rubber washers and spud flange.

1½-inch horseshoe pattern (no cover unless specified) finished to match tank, special

SEAT

Page twelve

5





PLATE A-5 1/2 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.
TANK Square corners, selected quarter sawed oak,
finished with a rubbed dull Early English

Lined with 10-ounce copper, tinned bottom. 23/4-inch rubber float valve with 11/2-inch over-flow.

"B. O. T." compound lever ball cock with tinned, solderless float.

"B. O. T." improved patented lever with china handle.

N. P. supply pipe 3/8-inch, No. 11 gauge, 21 inches long with flange.
 2-inch bent elbow with heavy cast nuts, friction

rings, rubber washers and spud flange.

1½-inch full saddle seat and cover to match

SEAT

Page thirteen





PLATE A-15 (Patented)

CLOSET 475 "B. O. T." Patented Early English Syphon Closet with raised front.

Tank Square corners, selected quarter sawed oak, finished with a rubbed dull Early English style. Lined with 10-ounce copper, tinned bottom.

234-inch rubber float valve with 1½-inch overflow.

"B. O. T." compound lever ball cock with tinned, solderless float.

"B. O. T." improved patented lever with china handle,

N. P. supply pipe 3%-inch, No. 11 gauge, 21 inches long with flange.
 2-inch bent elbow with heavy cast nuts, friction

rings, rubber washers and spud flange.

SEAT 1½-inch horseshoe pattern (no cover unless specified) finished to match tank, special heavy pattern reinforced hinges.

PRICE Complete as described\$42.50

Page fourteen





PLATE A-15 1/2 (Patented)

CLOSET 475 "B. O. T." Patented Early English Syphon Closet.

Tank Square corners, selected quarter sawed oak, fin-

ished with a rubbed dull Early English style.

Lined with 10-ounce copper, tinned bottom.

234-inch rubber float valve with 1½-inch overflow.

flow.

"B. O. T." compound lever ball cock with tinned, solderless float.

solderless float.
"B. O. T." improved patented lever with china handle.

N. P. supply pipe 3/8-inch, No. 11 gauge, 21 inches long with flange.

2-inch bent elbow with heavy cast nuts, friction rings, rubber washers and spud flange.

14-inch full saddle seat and cover to match

SEAT 1½-inch full saddle seat and cover to match tank with Casco hinges.

PRICE Complete as described......\$37.50





PLATE A-6 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

TANK Piano polished, golden, antique or natural oak.
Lined with 10-ounce copper, tinned bottom.

23/4-inch rubber float valve.

"B. O. T." compound lever ball cock with tinned, solderless float.

"B. O. T." improved patented lever with nickel plated handle.

N. P. supply pipe 3%-inch, No. 14 gauge, 21 inches long with flange.

2-inch bent elbow with heavy cast nuts, friction rings, rubber washers and spud flange.

SEAT 1½-inch round seat and cover to match tank with "XS" post hinges.

PRICE Complete as described.......\$28.50

Page sixteen





PLATE A-6 1/2 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

Tank Piano polished, O. G. top, golden, antique or natural oak.

Lined with 10-ounce copper, tinned bottom. 2¾-inch rubber float valve.

"B. O. T." compound lever ball cock with tinned, solderless float.

"B. O. T." improved patented lever with nickel plated handle.

N. P. supply pipe 36-inch, No. 14 gauge, 21 inches long with flange.
2-inch bent elbow with heavy cast nuts, friction

rings, rubber washers and spud flange.

1¼-inch round seat and cover to match tank with "S" post hinges.

PRICE Complete as described.....\$30.00

SEAT

Page seventeen





PLATE A-300 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

Tank Polished finish in natural, golden or antique oak.

Lined with 10-ounce copper, tinned bottom.

23/4-inch rubber float valve.

"B. O. T." compound lever ball cock.

Patented center lever with china disc.

N. P. supply pipe \(\frac{9}{8}\)-inch, No. 14 gauge, 21 inches long with flange.

2-inch bent elbow with friction rings and rubber washers.

SEAT 11/4-inch round seat and cover to match tank with "XS" post hinges.

PRICE Complete as described......\$24.00

Page eighteen





PLATE A-304 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

Special design vitreous china tank. TANK 234-inch rubber float valve.

'B. O. T." elevated compound lever ball cock with tinned, solderless float.

"B, O. T." improved patented lever with nickel

plated handle.

N. P. supply pipe 3%-inch, No. 14 gauge, 21 inches long with flange.

2-inch bent elbow with heavy cast nuts, friction rings and rubber washers,

or antique oak or imitation mahogany with "XS" hinges. 11/4-inch round seat and cover in natural, golden

Complete as described..... PRICE





PLATE A-310 (Patented)

CLOSET 375 "B. O. T." Patented Syphon Closet.

TANK Special design vitreous china tank, 23/4-inch rubber float valve.

"B. O. T." compound lever ball cock with "B. O. T." patented vitreous china float.

Patented center lever with china disc.

N. P. supply pipe %s-inch, No. 14 gauge, 21 inches long with flange.

2-inch bent elbow with friction rings and rubber washers.

SEAT 11/4-inch round seat and cover, natural, golden or antique oak, or imitation mahogany, with "XS" hinges.

PRICE Complete as described\$30.00

Page twenty





"B. O. T." DISPLAY STAND WITH PLATE A-15

"B. O. T." Display Stand, Early English, golden, natural or antique oak or imitation mahogany.

Ball bearing casters.

Shipped only in pairs (two stands crated together).



"B. O. T." VITREOUS CHINA FLOAT (Patented)

The "B. O. T." Vitreous China Float is a seamless, hollow, air-tight ball and will be furnished when specified with any combination.



"B. O. T." IMPROVED LEVER (Patented)

Back of the "B. O. T." improved, patented lever, showing the mechanical action, the leverage in either direction and the safety stop making the "B. O. T." lever absolutely "fool-proof."

Page twenty-two



SPECIAL

HE combinations are complete as described in this catalog, or the following will be furnished if specified, at additional cost:

"B. O. T." Vitreous China Float.
"B. O. T." Elevated Ball Cock.
China Handle on "B.O.T." Lever.

Roughing in Measurements

All low tank "B.O.T." combinations rough in at 12 inches with an elbow slip joint connection to allow for variation from the exact measurements.





SEAT	Woodstrip seat and cover fitted with Clover Leaf hinges.			
FINISH	Gloss finish, natural, antique or golden oak.			
PRICE	Complete as described			
	Piano polished, quarter sawed oak or imitation mahogany			
	Piano polished, genuine mahogany 4.00			





SEAT	114-inch round seat and cover, fitted with "XS" hinges.
FINISH	Gloss finish, natural, antique or golden oak.
PRICE	Complete as described
	Piano polished 3.00
	Piano polished, quarter sawed oak or imitation mahogany 3.50
	Piano polished, genuine mahogany 4.50

Page twenty-five





SEAT	11/4-inch round seat and cover fitted with "S" hinges.				
FINISH	Piano polished, natural, antique or golden oak.				
PRICE	Complete as described\$3.00				
	Quarter sawed oak or imitation mahogany 400				

Page twenty-six





SEAT	1¼-inch saddle seat and cover fitted with "S" hinges.
FINISH	Piano polished, natural, antique or golden o.
PRICE	Complete as described
	Quarter sawed oak or imitation mahogany. 4.50
	Genuine mahogany 5.50

Page twenty-seven





SEAT	hinges.
FINISH	Piano polished, quarter sawed natural, antique or golden oak, or imitation mahogany.
PRICE	Complete as described\$7.00

. 9.00

Genuine mahogany....

Page twenty-eight





SEAT	1½-inch saddle hinges.	seat	and	cover	fitted	with	Casco
	unges.						

FINISH	Piano polished, quarter sawed	natural, antique
	or golden oak, or imitation	mahogany.

PRICE	Complete as described	\$8.00
	Canuina mahagany	10.00

Page twenty-nine





SEAT	Bar	h saddle hinges.	seat	and	cover	fitted	with	Lyon
w.								

1.17/1211	rano ponsne	ed, quarter sawed	i naturai, antique
	or golden o	oak, or imitation	mahogany.

PRICE	Complete as described	\$9.00
	Genuine mahagany	11.00

Page thirty





SEAT	1½-inch Early English saddle seat and cover, square edge, fitted with Casco hinges.
Finish	Rubbed dull or piano polished, quarter sawed oak.
Dusan	Complete as described 88.00

Page thirty-one





SEAT	cover), with special hinges.	
Finish	Rubbed dull or piano polished, quarter sawed oak.	





SEAT	1½-inch	Early	English	horseshoe	seat	and
	cover v	vith Ca	sco hinge	S.		

FINISH	Rubbed oak.	dull	or	piano	polished,	quarter	sawed
--------	-------------	------	----	-------	-----------	---------	-------

PRICE Complete as described......\$7 00





SEAT	1½-inch horseshoe seat (no cover), with special hinges.
FINISH	Piano polished, quarter sawed natural, antique or golden oak, or imitation mahogany.
PRICE	Complete as described\$6.00
	Genuine mahogany 8.50

Page thirty-four





SEAT	Bar hinges.
FINISH	Piano polished, quarter sawed natural, antique or golden oak, or imitation mahogany.
PRICE	Complete as described\$7.50
	Genuine mahogany 9.50

Page thirty-five





